











1375.3 MLGENAMEL with BRASS trim

MILLENIUM 1375.3



Millenium



DESIGN

The MILLENIUM is the only authentic rotisserie that is renowned and recognised worldwide, making it the first choice for hotels, restaurants, and food service operators wanting a live cooking show to their customers. This model, characterised by visible gas burners, coloured enamel panels, brass or chrome trim package, cast iron plates and refractory fireproof bricks will make your cooking display simply spectacular.

PERFORMANCE

A pioneer in spit rotisseries since 1954, the MILLENIUM rotisserie is the fruit of innovation from our research and development teams, and the reference point for all food professionals. The heat exchangers feature a unique design, with their high output burners and remain our exclusive expertise. The glass doors, with their special K coating provide a heat shield boosting performance while preserving operator comfort.



1375.3 MiLG STAINLESS STEEL with CHROME trim

CLEANING AND EASE OF MAINTENANCE

The MILLENIUM rotisserie offers easy accessibility for cleaning with removable burner guards, grease tray. and double side panels that prevent grease from entering the technical areas. This unit accommodates a wide range of detergents to clean its interior and glass doors.


ECONOMY GREEN ENERGY

The MILLENIUM rotisserie combines a low consumption heat exchanger and anti-radiating K.GLASS addressing the **ecolonomy**: program to reduce energy expenditure thanks to technological control of heating. The MILLENIUM rotisserie guarantees optimal use with significant financial savings (+25 to +30% profit compared to certain competing products).



Millenium

TECHNICAL CHARACTERISTICS



- All stainless-steel gas burners (manufactured and patented by ROTISOL).
- K.GLASS thermal glass (anti-burn and anti-radiating).
- Sturdy hinges for intensive use, with opening lock.
- Independent axel drive motors for each spit.

TECHNICAL ADVANTAGES

• Removable double inner panels to prevent grease from seeping into the technical parts (to protect motors, electrical circuits, and the gas burners).

Overview of some standard features.

- · Removable grease trays with drainage
- Channel in grease tray to avoid splashes on the floor (safety).
- Powerful lighting with halogen lamps protected by ceramic glass.
- Supplied with V prongless spits.
- Mounted on a base with castors, 2 of which have brakes.




STAINLESS STEEL with front ENAMELLED



Stainless steel burner with removable air filter (Rotisol patent).



Robust hinges designed for heavy use, with integrated locking in open and closed positions.



Anti-scald K-glass reduces external thermal radiation (energy saving). Glass overlaps drip pan to keep splatters inside (anti-slip protection).



Gas and electric switches, in chromed or brass-colored metal.



Gas safety! separation of the gas and electric chambers avoids any risks of ex-plosion.



Removable inside sidepanels doubles protection from grease seeping into motors and other sensitive parts.

ACCESSORIES

Many accessories are available. Videos of available accessories and vertical spit system.


1 manual 1	BRC1375 "SPATCHCOCK" spit.		GSV1375 Raised rack for meat storage over drip pan.		PID1375 Stainless steel tray to unspit.		BRC1375 Basket spit.
	CUI1375 Anti-cutting prongless spit.		CUI1375 Chicken spits.	£ ± 3	BS1375 abre spit for ham / turkey.		BRRO1375 Roast clamp spit.
*	BA1375 Lamb spit / suckling pig spit.	C	DEC Spit mover.		GCP1375 Spare rib rack.	444	FI1375 Vertical spit system.

FINISHES

Choose a colour for your Millenium





Ornamental parts in chrome or brass.





Millenium







SPECIFICATIONS

GAS model				
Capacity	15/18 poultries (depending on the size of the poultry			
Power of gas model	15kW / 0.54W, 230V 50Hz 1 phase+neutral+earth			
Gas connection	20 / 27 male			
Weight and dimensions	170kg ; (H: 1625 x L: 1425 x P: 720) with base cabinet			
Packed weight	275kg (with base cabinet)			
Spits	3 spits			
Gas consumption	Natural gas : 1.59m³/h ; Propane gas : 1.16kg/h			
Protection	K.GLASS glass doors (Anti-scalding and radiation)			
Garantee	1 year parts (excludes glass)			

ELECTRIC model					
Power of elec. model	12.85kW, 400V 50Hz 3 phases+neutral+earth				
Weight and dimensions	145kg ; (H: 1625 x L: 1425 x P: 720) with base cabinet				
Packed weight	255kg (with base cabinet)				

MLG MSG MILG MIG MLE MSE MILE MIE	REF	ENAMEL LUXE	STANDARD	SS* LUXE	SS*
MLE MSE MILE MIE	Ġ	MLG	MSG	MiLG	MiG
	E	MLE	MSE	MiLE	MiE

*STAINLESS STEEL

Revision : December 2022





